

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

SUNDAE DRIVER 90U LIVE ROSIN (CONCENTRATE) // PRODUCED: JAN 17, 2022

CLIENT: THIRD SHIFT RESIN // BATCH: PASS



MATRIX: CONCENTRATE
SAMPLE ID: NAL-220112-016
COLLECTED ON: JAN 12, 2022
RECEIVED ON: JAN 12, 2022
SAMPLE SIZE: .7 G

RECEIVED BY: MIC LABEL

CANNABINOID OVERVIEW

THCA:	75.9 %
CBGA:	4.64 %
TOTAL CANNABINOIDS:	81.5 %

BATCH RESULT: PASS

POTENCY	TESTED
TERPENES	TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JAN 13, 2022 // ANALYSIS: JAN 14, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.135/0.677	N/A
CBCA	0.945 %	9.45 mg/g		0.135/0.677	N/A
CBD		ND	ND	0.135/0.677	N/A
CBDA		ND	ND	0.135/0.677	N/A
CBDV		ND	ND	0.135/0.677	N/A
CBDVA		ND	ND	0.135/0.677	N/A
CBG	< LOQ	< LOQ		0.135/0.677	N/A
CBGA	4.64 %	46.4 mg/g		0.135/0.677	N/A
CBL		ND	ND	0.135/0.677	N/A
CBLA		ND	ND	0.135/0.677	N/A
CBN		ND	ND	0.135/0.677	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.135/0.677	N/A
Δ ⁸ -THC		ND	ND	0.135/0.677	N/A
Δ ⁹ -THC		< LOQ	< LOQ	0.135/0.677	N/A
Δ ¹⁰ -THC		ND	ND	0.135/0.677	N/A
EXO-THC		ND	ND	0.135/0.677	N/A
THCA	75.9 %	759 mg/g		0.135/0.677	N/A
THCV		ND	ND	0.135/0.677	N/A
THCVA		ND	ND	0.135/0.677	N/A
TOTAL THC **		66.6 %	666 mg/g		N/A
TOTAL CBD **		ND	ND		N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
JAN 17, 2022

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
JAN 17, 2022

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
JAN 17, 2022

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	4.32 %	43.2 mg/g		N/A
D-LIMONENE	2.02 %	20.2 mg/g	0.134/0.267	N/A
β-MYRCENE	0.525 %	5.25 mg/g	0.134/0.267	N/A
β-CARYOPHYLLENE	0.509 %	5.09 mg/g	0.134/0.267	N/A
α-HUMULENE	0.329 %	3.29 mg/g	0.134/0.267	N/A
LINALOOL	0.275 %	2.75 mg/g	0.134/0.267	N/A
α-PINENE	0.250 %	2.50 mg/g	0.134/0.267	N/A
TERPINOLENE	0.100 %	1.00 mg/g	0.134/0.267	N/A
CAMPHERE	0.0878 %	0.878 mg/g	0.134/0.267	N/A
β-OCIMENE	0.0670 %	0.670 mg/g	0.0668/0.134	N/A
β-PINENE	0.0560 %	0.560 mg/g	0.134/0.267	N/A
α-OCIMENE	0.0379 %	0.379 mg/g	0.0668/0.134	N/A

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
α-TERPINENE	0.0364 %	0.364 mg/g	0.134/0.267	N/A
α-BISABOLOL	0.0314 %	0.314 mg/g	0.134/0.267	N/A
γ-TERPINENE	< LOQ	< LOQ	0.134/0.267	N/A
ISOPULEGOL	ND	ND	0.134/0.267	N/A
P-CYMENE	ND	ND	0.134/0.267	N/A
CIS-NEROLIDOL	ND	ND	0.134/0.267	N/A
GERANIOL	ND	ND	0.134/0.267	N/A
EUCALYPTOL	ND	ND	0.134/0.267	N/A
Δ ³ -CARENE	ND	ND	0.134/0.267	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.134/0.267	N/A
TRANS-NEROLIDOL	ND	ND	0.134/0.267	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

